



## 1500 Protector

Sensitive equipment needs protection, and since 1976 the answer has been the Pelican™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Pelican cases have survived. Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware.

- Personalized nameplate service available
- **Watertight, crushproof, and dustproof**
- Automatic Pressure Equalization Valve - balances interior pressure, keeps water out
- Comfortable rubber over-molded handle
- Easy open double-throw latches
- Lifetime Guarantee of Excellence
- O-ring seal
- Open cell core with solid wall design - strong, light weight
- Pick N Pluck™ with convoluted lid foam
- Stainless steel hardware and padlock protectors



### CONFIGURATIONS



**1500**  
Standard



**1504**  
With Padded Dividers



**1500NF**  
No Foam



**1500WF**  
With Foam

### DIMENSIONS

<b>Interior (L×W×D)</b>	16.75 x 11.18" x 6.12 (42.5 x 28.4 x 15.5 cm)
<b>Exterior (L×W×D)</b>	18.50 x 14.06" x 6.93 (47 x 35.7 x 17.6 cm)
<b>Lid Depth</b>	1.81" (4.6 cm)
<b>Bottom Depth</b>	4.31" (10.9 cm)
<b>Total Depth</b>	6.12" (15.5 cm)
<b>Int Volume</b>	0.66 ft³ (0.019 m³)
<b>Padlock Hole Diameter</b>	5/16" (8 mm)

### MATERIALS

<b>Body</b>	Polypropylene
<b>Latch</b>	ABS
<b>O-Ring</b>	Polymer
<b>Pins</b>	Stainless Steel
<b>Foam</b>	1.3 lb Polyurethane
<b>Purge Body</b>	ABS

Purge Vent

3 Micron Hydrophobic Non-Woven

COLORS

Black  
Silver

Desert Tan  
Yellow

Orange

OD Green

WEIGHT

**Weight With Foam** 7.94 lbs (3.6 kg)  
**Weight Empty** 7.13 lbs (3.2 kg)  
**Buoyancy** 50.00 lbs (22.7 kg)  
**Master Pack Weight** 40.65 lbs (18.4 kg)

TEMPERATURE

**Minimum Temperature** -40°F (-40 °C)  
**Maximum Temperature** 210°F (98.9 °C)

CERTIFICATIONS

**IP67**  
**MIL C-4150J**  
**Def Stan 81-41**  
**STANAG 4280**  
**ATA 300**

OTHER

**Master Pack** 4  
**Nameplate** yes  
**Military** yes

ACCESSORIES



**1501**  
3 pc. Replacement Foam Set



**1503**  
Replacement O-ring



**1505**  
Padded Divider Set



**1508**  
Photographer's Lid Organizer



**1509**  
Lid Organizer



**1500PF**  
Special Application Panel  
Frame



**1500TPKIT**  
TrekPak Case Divider Kit



**1500TPDIV**  
Extra TrekPak Dividers



**1507**  
Quick Mounts - set of 4



**1506TSA**  
TSA Lock



**1500D**  
Desiccant Silica Gel



**1500MP**  
EZ-Click™ MOLLE Panel



**1500CI**  
Corrosion Intercept Kit

---

**Pelican**

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311  
[sales@pelican.com](mailto:sales@pelican.com) • [www.pelican.com](http://www.pelican.com)

*Document created on 01-24-23*

Distributed by:



AB: (587) 758-8367

ON: (905) 688-5800

[info@stone-tucker.com](mailto:info@stone-tucker.com)

[www.stone-tucker.com](http://www.stone-tucker.com)